

SKU SP-A190-QD Job Name: Mark: Submitted By: Date: 04/29/2025

Bathroom Exhaust Fan, Product # SP-A190-QD, 156-229 CFM




Model SP-A direct drive, ceiling mounted fan is designed to provide the lowest sounds levels for bathroom exhaust. Units feature an insulated housing and are ideal for residential, multi-family or hotel applications.


- ENERGY STAR rated
- Acoustic insulation absorbs sound ensuring quiet operation
- Spring loaded aluminum backdraft damper eliminates rattling
- External electrical access reduces installation time
- Speed controllable
- Designer grille included

Certifications

AMCA Air & Sound UL/cUL 507



Performance Characteristics



Construction Features

Housing Material	Galvanized Steel		
Drive Type	Direct Drive		
Impeller Type	Centrifugal Wheel		
Impeller Material	Polypropylene		
Includes	Backdraft damper Mounting brackets		
Certifications	AMCA Air & Sound UL/cUL 507		
Speed Controllable	Yes		

Motor Information

Motor Insulation	В
Motor Phase	1
Motor Type	PSC
Service Factor	1
Voltage	115
Hertz	60
Motor Enclosure	n/a
RPM	1400
Thermal Protection	AutoOverload
Nominal Efficiency	38
Watts	19.5

Air and Sound Performance

Watts	Max Fan RPM	Min Fan RPM	Ps (in. wg)	0	0.125	0.25	0.375
54.2			CFM	229	210	186	156
	1400 1120	Sones	2.5	2.1	1.8	1.6	



- Greenheck Fan Corporation certifies that the SP models shown herein are licensed to bear the AMCA seal.
- The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and AMCA Publication 311 and comply with the requirements of the AMCA Certified Ratings Program.
- The SP models are not AMCA certified with 50 hertz motors.

California Residents



⚠ WARNING

This product can expose you to chemicals including cadmium used in the processing of corrosion resistant metal and fasteners, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information visit www.P65Warnings.ca.gov